

Eureka Journal of Agricultural Science & Bio-Innovation (EJASB)

ISSN 2760-4969 (Online) Volume 2, Issue 8, August 2026



This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/7>

SMART IRRIGATION SYSTEMS IN DATA-SCARCE ARID REGIONS: A SYSTEMATIC REVIEW OF HARDWARE TOPOLOGIES, ALGORITHMIC TAXONOMIES, AND DECENTRALIZED BLUEPRINTS FOR UZBEKISTAN

Maxmatmurod Chuliev

PhD, Docent, Karshi Technical University

Shirin Yuldosheva

Doctoral Student, "TIIAME" National Research University

Email: jamoliddinnorboev09@gmail.com

ABSTRACT

Global agricultural production faces severe hydro-climatic volatility, demanding a transition from conventional irrigation to automated Smart Irrigation Systems (SIS) to optimize Water-Use Efficiency (WUE). However, high-precision predictive irrigation models remain heavily dependent on data-intensive infrastructures, creating an operational bottleneck in developing, data-scarce arid zones. This systematic review establishes a multi-dimensional taxonomy of breakthrough smart irrigation studies up to 2026. It critically evaluates embedded hardware topologies, algorithmic frameworks, and cloud-edge software interfaces. A systematic screening of literature from Scopus, Web of Science, and ScienceDirect was conducted following PRISMA guidelines. Methodologies were classified into four discrete generations: deterministic threshold automata, bio-agrometeorological crop models (e.g., AquaCrop), data-driven stochastic AIoT networks (LSTM/XGBoost), and cyber-physical digital twins integrated

Eureka Journal of Agricultural Science & Bio-Innovation (EJASB)

ISSN 2760-4969 (Online) Volume 2, Issue 8, August 2026



This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/7>

with numerical solvers (HYDRUS). The critical analysis reveals a profound "Data-Scarcity vs. Algorithmic Overhead" paradox: state-of-the-art predictive architectures achieve 35%–50% water savings but require dense field-level sensor networks and continuous cloud computing infrastructure. To bridge this division, this paper presents a decentralized conceptual blueprint tailored for arid, data-scarce regions like Uzbekistan. By proposing the integration of macro-level, open-access satellite telemetry (ESA Copernicus) via Transfer Learning and Unsupervised Domain Adaptation onto low-power edge units (ESP32/LoRaWAN), this study establishes a scalable pathway for sustainable water management in data-sparse landscapes.

Keywords: Smart Irrigation, Internet of Things (IoT), Artificial Intelligence of Things (AIoT), Transfer Learning, Data Scarcity, Sustainable Water Management, Arid Regions, Uzbekistan.

1. INTRODUCTION

Global agricultural production is confronting an unprecedented crisis driven by accelerating climate volatility, localized groundwater depletion, and structural cross-sectoral water competition. Over 40% of the world's continental landmass is classified as arid or semi-arid zone, where irrigated agriculture accounts for more than 70% to 80% of total freshwater withdrawals. Conventional broad-acre irrigation practices—such as continuous flooding and non-optimized furrow systems—exhibit systemic hydraulic inefficiencies, leading to massive water losses via deep percolation, surface runoff, and rapid macro-evaporative fluxes. In the hyper-arid and continentally isolated basins of Central Asia, most notably within Uzbekistan, these challenges are compounded by the ecological legacy of the Aral Sea basin degradation and acute vulnerability to transboundary water allocation uncertainties. Consequently, optimizing agricultural Water-Use

Eureka Journal of Agricultural Science & Bio-Innovation (EJASB)

ISSN 2760-4969 (Online) Volume 2, Issue 8, August 2026



This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/7>

Efficiency (WUE) through precision digital frameworks has transitioned from an eco-efficiency preference to an absolute national security mandate.

Over the past decade, the convergence of the Internet of Things (IoT), decentralized edge computing, and artificial intelligence has catalyzed the emergence of Smart Irrigation Systems (SIS). Modern smart irrigation engineering continuously monitors soil-water-crop dynamics in real time, executing closed-loop autonomous control over water delivery via automated valve manifolds. Contemporary literature demonstrates systematic water savings ranging from 15% to over 50%.

However, a critical evaluation exposes a profound operational paradox: high-precision proactive smart irrigation frameworks documented in literature are radically data-intensive. They rely on deep time-series Long Short-Term Memory (LSTM) arrays, ensemble models, and numerical solvers (e.g., HYDRUS) that require uninterrupted high-density sensor networks, long-term regional historical profiles, and substantial cloud-computing infrastructure.

Conversely, developing agricultural territories and arid zones, such as the major irrigation blocks in Uzbekistan, operate under severe localized data scarcity (the "Small Data" bottleneck). These regions lack open-access digital soil moisture databases, unmapped hydraulic conductivity profiles, restricted rural cellular network coverage, and strict capital limitations. Existing literature remains heavily bifurcated: low-cost installations remain bound to primitive, reactive rule-engines that cannot predict imminent weather events, while intelligent architectures remain structurally and financially unfeasible for data-scarce zones. The primary objectives of this study are threefold:

To critically categorize the algorithmic and architectural configurations of contemporary smart irrigation frameworks, defining their explicit computational and data overheads.

To map the technical limitations and structural vulnerabilities that cause smart networks to fail under real-world open-field stress.

Eureka Journal of Agricultural Science & Bio-Innovation (EJASB)

ISSN 2760-4969 (Online) Volume 2, Issue 8, August 2026



This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/7>

To systematically outline an alternative conceptual blueprint for data-efficient, decentralized Edge-AI irrigation systems designed specifically to navigate the hydro-climatic and infrastructural realities of data-scarce, arid agricultural regions such as Uzbekistan.

2. METHODS

This study implements a systematic literature review following the PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) guidelines to ensure reproducibility and scientific rigor.

2.1. Information Sources and Literature Search Strategy

An electronic search was executed across three primary bibliometric indexes: Scopus (Elsevier), ScienceDirect, and Web of Science (Clarivate Analytics). The search window was strictly bounded to capture innovations up to 2026. A unified Boolean search string was constructed combining three core thematic clusters: (TITLE-ABS-KEY("smart irrigation" OR "precision farming" OR "automated irrigation" OR "AIoT") AND TITLE-ABS-KEY("embedded hardware" OR "ESP32" OR "microcontroller" OR "edge AI" OR "software architecture") AND TITLE-ABS-KEY("transfer learning" OR "domain adaptation" OR "data scarcity" OR "small data" OR "arid zone" OR "Uzbekistan"))

In addition, a manual backward-snowballing search was performed on reference lists of key foundational review papers.

2.2. Inclusion and Exclusion Criteria

Eligibility boundaries were established using the following criteria:

Inclusion Criteria (IC): Peer-reviewed journals/conferences in English (IC1); studies detailing the complete smart irrigation chain from sensing to actuation (IC2); novel mathematical or ML models improving WUE (IC3); frameworks addressing local data scarcity or applicable to arid agricultural regions (IC4).

Eureka Journal of Agricultural Science & Bio-Innovation (EJASB)

ISSN 2760-4969 (Online) Volume 2, Issue 8, August 2026



This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/7>

Exclusion Criteria (EC): Gray literature or dissertations without peer-reviewed data (EC1); macro-economic or purely socio-economic studies without architecture details (EC2); hydroponics, indoor greenhouse, or vertical farming studies (EC3); duplicate incremental studies (EC4).

2.3. Screening Process and Data Extraction


The filtration process proceeded in four phases:

Identification Phase: 1,420 raw documents retrieved; 412 duplicate entries removed.

Screening Phase: 1,008 titles/abstracts evaluated; 696 non-automation or descriptive articles excluded.

Eligibility Phase: 312 full-text papers examined; 238 rejected due to reliance on high-speed internet, lack of algorithmic clarity, or unrealistic field sensor costs.

Inclusion Phase: 89 core studies retained, with 37 primary papers extracted into a multi-tiered comparative matrix assessing hardware, telemetry, algorithmic taxonomy, and operational bottlenecks.



3. RESULTS

3.1. Temporal Evolution and Annual Publication Dynamics

Publication output indexed in Scopus from 2020 to 2025 demonstrates an exponential upward trajectory:

Eureka Journal of Agricultural Science & Bio-Innovation (EJASB)

ISSN 2760-4969 (Online) Volume 2, Issue 8, August 2026




This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/7>

Baseline Period (2020–2022): Volumes expanded moderately from 81 to 118 publications/year, dominated by localized threshold-driven loops and basic IoT Wi-Fi/GSM relays.

ML Integration Inflection (2023–2024): Publications grew to 225 in 2024, driven by the integration of data-driven machine learning algorithms (Random Forest, SVR, early LSTM).

Advanced AIoT Acceleration (2025): Annual output reached an apex of 425 publications (+424.6% vs. 2020 baseline). This surge correlates with containerized Edge-AI runtimes, cyber-physical digital twins (HYDRUS), and the strategic application of Transfer Learning.



3.2. Core Publication Venues

The bibliographic dataset reveals strong thematic clustering across high-impact international journals:

Agricultural Water Management: 88 publications (Focus: Hydro-agronomy, crop transpiration & WUE)

Eureka Journal of Agricultural Science & Bio-Innovation (EJASB)

ISSN 2760-4969 (Online) Volume 2, Issue 8, August 2026



This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/7>

Agronomy: 40 publications (Focus: Agronomic practices & soil-water dynamics)
 Water (Switzerland): 34 publications (Focus: Multi-depth telemetry & water resources)
 Computers and Electronics in Agriculture: 28 publications (Focus: Cyber-physical systems & edge computing)
 Smart Agricultural Technology: 27 publications (Focus: Microservices & automated field schedulers)
 Agriculture (Switzerland): 23 publications (Focus: Applied field-level smart farming setups)
 Sustainability (Switzerland): 21 publications (Focus: Resource conservation & ecological impact)
 IEEE Access: 19 publications (Focus: Wireless sensor networks & hardware communication)
 Frontiers in Plant Science: 15 publications (Focus: Plant physiology & stress response monitoring)
 Sensors: 14 publications (Focus: Hardware blueprints & IoT sensor validation)

SCOPUS SOURCE TITLE	NUMBER
Agricultural Water Management	88
Agronomy	40
Water Switzerland	34
Computers and Electronics in Agriculture	28
Smart Agricultural Technology	27
Agriculture Switzerland	23
Sustainability Switzerland	21
IEEE Access	19
Frontiers in Plant Science	15
Sensors	14

Eureka Journal of Agricultural Science & Bio-Innovation (EJASB)

ISSN 2760-4969 (Online) Volume 2, Issue 8, August 2026




This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/7>

3.3. Prominent Authors and Institutional Leadership

Scientific output is led by prominent scholars, including L.S. Pereira (6 papers; FAO-56 evapotranspiration modeling), E. Bwambale, H. Li, Z. Wang (6 papers each; neural networks and time-series predictive modeling), and M.S.Z. Abidin (5 papers; low-power embedded hardware and LoRaWAN protocols).

Geographically, institutional leadership is dominated by Chinese state-directed research bodies and agricultural universities, such as the Ministry of Agriculture of PRC (30 papers), Jiangsu University (29 papers), Northwest A&F University (27 papers), Ministry of Education (25 papers), and China Agricultural University (24 papers). Crucially, specialized institutions located in hyper-arid zones—such as Shihezi University (11 papers) and UC Davis (10 papers)—provide essential calibrations for extreme water-scarce field realities.



Eureka Journal of Agricultural Science & Bio-Innovation (EJASB)

ISSN 2760-4969 (Online) Volume 2, Issue 8, August 2026




This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/7>

3.4. Global Geographical Distribution

At a global level, publication density is heavily concentrated in China (284 publications) and India (283 publications), followed by the United States (100 publications). Secondary dense clusters exist across arid/semi-arid regions including Italy (68), Spain (42), Malaysia (42), Saudi Arabia (32), Pakistan (30), Indonesia (29), and Morocco (28). This distribution confirms that smart irrigation architecture is fundamentally driven by severe regional hydro-climatic stress.



4. DISCUSSION

4.1. The "Data-Scarcity vs. Algorithmic Overhead" Paradox

The synthesis of the literature highlights a critical rift:

High-Precision Models (LSTM, Digital Twins): Achieve impressive 35%–50% water savings but require uninterrupted cloud connectivity, long-term historical weather data, and expensive, high-density field sensors. In data-scarce, resource-constrained environments like Uzbekistan, these architectures fail due to network dropped sockets, data gaps, and hardware maintenance costs.

Eureka Journal of Agricultural Science & Bio-Innovation (EJASB)

ISSN 2760-4969 (Online) Volume 2, Issue 8, August 2026



This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/7>

Reactive Threshold Rules: Economically feasible for smallholders but lack predictive capabilities, leaving crops vulnerable to unpredicted heatwaves or over-watering ahead of rain events.

4.2. Conceptual Blueprint for Arid, Data-Sparse Landscapes

To resolve this structural paradox, this paper outlines a novel, decentralized Edge-AI conceptual framework specifically tailored for data-scarce regions like Uzbekistan:

Macro-Scale Remote Sensing Integration: Utilizing open-access global satellite telemetry (e.g., ESA Copernicus Sentinel-2 multispectral data) to capture broad moisture and vegetation trends (NDVI/NDWI).

Transfer Learning & Unsupervised Domain Adaptation: Transferring pre-trained deep learning models from data-rich regions and adapting them to local soil conditions using minimal ground-truth data, eliminating the need for dense sensor grids.

Low-Power Edge Deployment: Deploying lightweight, quantized models directly onto affordable, battery/solar-powered microcontrollers (e.g., ESP32 connected via LoRaWAN). This guarantees operational autonomy even during rural internet outages or power fluctuations.

5. CONCLUSION

This systematic review synthesizes global smart irrigation literature up to 2026, mapping its temporal, institutional, and algorithmic trajectories. It highlights the persistent divide between high-overhead cloud architectures and reactive low-cost systems. To overcome the "Small Data" bottleneck in arid regions such as Uzbekistan, future deployments must shift toward hybrid Edge-AI frameworks that integrate open satellite telemetry with Transfer Learning on low-cost hardware. This blueprint provides a realistic, scalable path toward sustainable agricultural water management in resource-constrained environments worldwide.

Eureka Journal of Agricultural Science & Bio-Innovation (EJASB)

ISSN 2760-4969 (Online) Volume 2, Issue 8, August 2026



This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/7>

REFERENCES

1. Pan, S. J., & Yang, Q. (2009). A survey on transfer learning. *IEEE Transactions on Knowledge and Data Engineering*, 22(10), 1345-1359.
2. Zhuang, F., Qi, Z., Duan, K., Xi, D., Zhu, Y., Zhu, H., ... & He, Q. (2020). A comprehensive survey on transfer learning. *Proceedings of the IEEE*, 109(1), 43-76.
3. Karthikeyan, L., Chawla, I., & Mishra, A. K. (2021). A review of remote sensing applications in agriculture for food security: Crop growth and yield, soil moisture, and salinity mapping. *Agricultural Water Management*, 243, 106430.
4. Khamidov, M., Muratov, A., & Balla, D. (2022). Algorithmic solutions for water-saving irrigation technologies in arid zones of Uzbekistan. *Journal of Water and Land Development*, 52, 114-121.
5. Fang, K., Shen, C., Kifer, D., & Yang, X. (2019). Prolonging soil moisture forecasts with a deep learning framework and transfer learning. *Water Resources Research*, 55(8), 6906-6925.
6. Babaeian, E., Paheding, S., Siddique, N., Devabhaktuni, V., & Tuller, M. (2021). Estimation of soil moisture and salinity using machine learning and transfer learning techniques. *Geoderma*, 394, 115032.
7. Allen, R. G., Pereira, L. S., Raes, D., & Smith, M. (1998). Crop evapotranspiration-Guidelines for computing crop water requirements-FAO Irrigation and drainage paper 56. FAO, Rome.
8. Karimov, A., Smakhtin, V., Mavlonov, A., & Gracheva, I. (2021). Water scarcity and automation of irrigation networks in the Amu Darya river basin. *Agricultural Water Management*, 248, 106782.
9. Goodfellow, I., Bengio, Y., & Courville, A. (2016). *Deep Learning*. MIT Press.

Eureka Journal of Agricultural Science & Bio-Innovation (EJASB)

ISSN 2760-4969 (Online) Volume 2, Issue 8, August 2026



This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/7>

10. Sun, Y., Chao, X., & Zhang, J. (2023). Smart irrigation scheduling systems based on IoT and Transfer Learning under small data regimes. *Computers and Electronics in Agriculture*, 205, 107612.
11. Pirimov O.J, Yuldosheva Sh.M (2025). Kichik quvvatli nasos agregatlarini avtomatlashtirilgan boshqaruv tizimini ishlab chiqish. Raqamli sanoat va avtomatlashtirish:texnologik jarayonlar va ishlab chiqarishni boshqarish tizimlarida innovatsion yechimlar. Ilmiy-amaliy konferensiya
12. Pirimov O.J, Yuldosheva Sh.M (2025).Nasos agregatlarining dinamik xususiyatlarini tahlil qilish. *Journal of new century innovation*.