



Eureka Journal of Geoscience, Materials & Resource Engineering (EJGMRE)

ISSN 2760-4985 (Online) Volume 02, Issue 01, January 2026



This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/9>

ENERGY-EFFICIENT OPERATING MODES OF ASYNCHRONOUS ELECTRIC MOTOR PUMPS WITH VARIABLE FREQUENCY CONTROL

Mamasidiqov Javlonbek

Tashkent State Technical University, Tashkent Uzbekistan

Dusmatov Rovshan Kamildjanovich

Tashkent State Technical University, Tashkent Uzbekistan

Abstract

Asynchronous electric motor-driven pump systems equipped with variable frequency control are widely applied to improve energy efficiency and operational flexibility in industrial and utility sectors. However, the selection of operating modes has a significant impact on both energy consumption and system reliability. This article investigates energy-efficient operating modes of asynchronous motor pumps under variable frequency control. The study analyzes the relationship between motor speed, load characteristics, and power consumption across different operating regimes. The results indicate that optimized frequency control enables substantial energy savings while maintaining stable hydraulic performance. Additionally, appropriate selection of operating modes reduces mechanical stress and contributes to improved overall system efficiency. The findings emphasize the importance of energy-oriented control strategies in the design and operation of modern pump installations.

Keywords. Asynchronous motor; variable frequency control; pump systems; energy efficiency; operating modes



Eureka Journal of Geoscience, Materials & Resource Engineering (EJGMRE)

ISSN 2760-4985 (Online) Volume 02, Issue 01, January 2026



This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/9>

Introduction

Pump systems driven by asynchronous electric motors account for a significant share of electricity consumption in industrial, agricultural, and municipal applications. Traditionally, pump flow and pressure have been regulated using mechanical throttling methods, which often result in considerable energy losses. The introduction of variable frequency control has transformed pump operation by enabling precise speed regulation and matching pump performance to actual system demand.

Variable frequency drives (VFDs) allow asynchronous motors to operate over a wide range of speeds, providing opportunities for substantial energy savings. By adjusting motor speed instead of using throttling devices, pump systems can operate closer to their optimal efficiency points. However, the effectiveness of variable frequency control largely depends on the selection of appropriate operating modes and control strategies.

Energy-efficient operation of pump systems requires careful consideration of load characteristics, hydraulic conditions, and motor performance. Operating at non-optimal frequencies may reduce energy efficiency and increase mechanical and electrical stresses. Therefore, identifying energy-efficient operating modes under variable frequency control is essential for optimizing system performance and reducing operational costs.

This article aims to analyze energy-efficient operating modes of asynchronous motor-driven pump systems equipped with variable frequency control. The study focuses on the relationship between operating frequency, energy consumption, and system efficiency, providing insights into optimal control strategies for modern pump installations.

Materials and Methods

This study employs an analytical and theoretical approach to investigate energy-efficient operating modes of asynchronous electric motor-driven pump systems

Eureka Journal of Geoscience, Materials & Resource Engineering (EJGMRE)

ISSN 2760-4985 (Online) Volume 02, Issue 01, January 2026



This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/9>

equipped with variable frequency control. The research focuses on evaluating the influence of operating frequency on energy consumption, pump performance, and overall system efficiency.

The object of analysis is a centrifugal pump driven by an asynchronous electric motor and controlled using a variable frequency drive (VFD). The operating characteristics of the pump were examined across a range of frequencies corresponding to different flow and pressure demands. Key parameters considered in the analysis included motor speed, torque, power consumption, hydraulic efficiency, and system load characteristics.

Energy consumption was evaluated based on established pump affinity laws, which describe the relationships between flow rate, head, and power as functions of rotational speed. These relationships were used to assess changes in power demand under different operating modes. The analysis also considered electrical losses in the motor and efficiency variations associated with partial-load operation.

Comparative assessment was performed between traditional throttling-based control and variable frequency control to evaluate potential energy savings. Theoretical models were used to identify operating regimes that minimize energy consumption while maintaining required pump performance.

As the study is based on analytical modeling and theoretical analysis, no experimental measurements or human subjects were involved. Therefore, ethical approval was not required.

Results

The analysis revealed that variable frequency control significantly improves the energy efficiency of asynchronous motor-driven pump systems compared to traditional throttling-based regulation. The results demonstrate a strong dependence of energy consumption on operating frequency and load conditions.

Eureka Journal of Geoscience, Materials & Resource Engineering (EJGMRE)

ISSN 2760-4985 (Online) Volume 02, Issue 01, January 2026



This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/9>

At reduced operating frequencies, pump power consumption decreased substantially in accordance with the pump affinity laws. Lower rotational speeds resulted in reduced flow rate and head, leading to a cubic reduction in power demand. This operating mode was identified as highly energy-efficient under partial-load conditions, particularly in applications with variable demand.

At nominal frequency, the pump operated near its design point, achieving balanced performance in terms of efficiency and output. Energy consumption remained stable, and system efficiency was maximized when hydraulic and motor efficiencies were optimally matched. This operating regime was considered suitable for continuous operation under rated conditions.

At higher operating frequencies, increased power consumption and mechanical stress were observed. Although higher speeds allowed for increased pump output, energy efficiency declined due to increased hydraulic losses and motor inefficiencies. The results indicate that sustained high-frequency operation should be limited to short-term or peak-demand scenarios.

Overall, the findings confirm that proper selection of operating modes under variable frequency control enables significant energy savings, reduces mechanical stress, and enhances the overall efficiency of asynchronous motor-driven pump systems.

Discussion

The results of this study demonstrate that variable frequency control is an effective tool for improving the energy efficiency of asynchronous motor-driven pump systems. By adjusting motor speed to match actual system demand, significant reductions in energy consumption can be achieved, particularly under partial-load operating conditions. These findings are consistent with established theoretical principles and previous studies on pump energy optimization.

The energy savings observed at reduced operating frequencies are primarily attributed to the nonlinear relationship between pump speed and power

Eureka Journal of Geoscience, Materials & Resource Engineering (EJGMRE)

ISSN 2760-4985 (Online) Volume 02, Issue 01, January 2026



This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/9>

consumption. According to pump affinity laws, even modest reductions in speed can result in substantial decreases in power demand. This highlights the importance of operating pumps at the lowest frequency that satisfies process requirements, rather than relying on mechanical throttling methods.

However, the discussion also emphasizes that energy-efficient operation must be balanced with system reliability and performance considerations. Prolonged operation at very low frequencies may affect motor cooling and increase thermal stress, while high-frequency operation can lead to excessive mechanical loads and reduced efficiency. Therefore, optimal control strategies should define safe and efficient operating frequency ranges.

The integration of energy-efficient operating modes into pump control systems requires a comprehensive understanding of hydraulic characteristics, motor performance, and system demand profiles. Advanced control algorithms and real-time monitoring can further enhance energy savings while maintaining stable and reliable operation. Overall, the findings support the adoption of variable frequency control as a key strategy for optimizing the energy performance of modern pump installations.

Conclusion

The study confirms that energy-efficient operating modes of asynchronous electric motor-driven pump systems can be effectively achieved through the use of variable frequency control. By regulating motor speed in accordance with system demand, significant reductions in energy consumption are possible compared to traditional throttling-based control methods. Reduced-frequency operation was identified as the most energy-efficient mode under partial-load conditions, while nominal-frequency operation provided optimal performance for continuous duty.

The findings also highlight the necessity of balancing energy efficiency with operational reliability. Appropriate selection of operating frequency ranges,

Eureka Journal of Geoscience, Materials & Resource Engineering (EJGMRE)

ISSN 2760-4985 (Online) Volume 02, Issue 01, January 2026



This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/9>

combined with effective control strategies, can minimize mechanical and thermal stresses and extend equipment service life. Overall, the implementation of energy-oriented variable frequency control represents a practical and effective approach to optimizing pump system performance and reducing energy costs in industrial and utility applications.

References

1. Affinity laws for centrifugal pumps and fans. (2015). *Hydraulic Institute Standards*.
2. Bose, B. K. (2010). *Modern Power Electronics and AC Drives*. Prentice Hall.
3. Almeida, A. T. de, Ferreira, F. J. T. E., & Baoming, G. (2014). Beyond induction motors—Technology trends to move up efficiency. *IEEE Transactions on Industry Applications*, 50(3), 2103–2114. <https://doi.org/10.1109/TIA.2013.2288426>
4. Arzikulov, F., & Komiljonov, A. (2025). AI-powered diagnostic systems in radiology: enhancing precision, speed, and clinical decision-making. *Academic Journal of Science, Technology and Education*, 1(6), 16–23.
5. Islomjon, I., & Fazliddin, A. (2025). EFFICIENCY OF MOBILE APPS IN HEALTHCARE: A CASE STUDY OF MED-UZ AI. *Modern American Journal of Medical and Health Sciences*, 1(2), 19-24.
6. Арзикулов, Ф. Ф., & Мустафакулов, А. А. (2021). Программное обеспечение, измеряющее мощность генератора энергии ветра.
7. Mustafakulov, A. A., Arzikulov, F. F., & Dzhumanov, A. (2020). Use of Alternative Energy Sources in the Mountainous Areas of the Jizzakh Region of Uzbekistan. *Internauka: electron. scientific. zhurn*,(41 (170)).
8. Arzikulov, F., & Makhsudov, V. (2025). HOW TO CALCULATE OPERATIONS ON MATRICES USING EXCEL. *Modern American Journal of Engineering, Technology, and Innovation*, 1(2), 119-132.

Eureka Journal of Geoscience, Materials & Resource Engineering (EJGMRE)

ISSN 2760-4985 (Online) Volume 02, Issue 01, January 2026



This article/work is licensed under CC by 4.0 Attribution

<https://eurekaoa.com/index.php/9>

9. Arzikulov, F., & Tolibjonov, L. (2025). THE INTRODUCTION OF BLOCKCHAIN TECHNOLOGIES TO OUR COUNTRY AND THEIR IMPACT ON THE ECONOMY. *Web of Discoveries: Journal of Analysis and Inventions*, 3(4), 108-111.
10. Solidjonov, D., & Arzikulov, F. (2021). WHAT IS THE MOBILE LEARNING? AND HOW CAN WE CREATE IT IN OUR STUDYING?. *Интернаука*, (22-4), 19-21.
11. Мустафакулов, А. А., Джуманов, А. Н., & Арзикулов, Ф. (2021). Альтернативные источники энергии. *Academic research in educational sciences*, 2(5), 1227-1232.
12. Mustafakulov, A. A., Akhmedov, E. R., Karshiboev, S. A., & Arzikulov, F. F. (2025, December). Technology of growing and researching synthetic piezoelectric quartz. In *Advanced Materials for Optics and Photonics: Chemistry and Engineering Perspectives (AMOP 2025)* (Vol. 14014, p. 1401402). SPIE.
13. Ахмедова, Д. И., Ишниязова, Н. Д., Салихова, Г. У., & Ашурова, Д. Т. (2012). Особенности психологического развития детей дошкольного возраста. *Педиатрия.-Тошкент*, 3-4.
14. Saidur, R. (2010). A review on electrical motors energy use and energy savings. *Renewable and Sustainable Energy Reviews*, 14(3), 877–898. <https://doi.org/10.1016/j.rser.2009.10.018>
15. Vas, P. (1998). *Electrical Machines and Drives: A Space-Vector Theory Approach*. Oxford University Press.